

CERTIFICATE OF ANALYSIS

 PRODUCT NAME:
 Nano CBD Softgels

 PRODUCT STRENGTH:
 25 mg CBD

 TINCTURE BATCH:
 241204A

 BEST BY DATE:
 11/30/2026

24110105

Physical Atttributes

Test	Method	Specification	Results
Color	Joy Internal	Golden to Amber	PASS
Odor	Joy Internal	No Odor	PASS
Appearance	Joy Internal	Dry, ovoid softgel capsules in container with lid and shrink-band	PASS
Primary Package Eval.	Joy Internal	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	Joy Internal	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
Potency - Total CBD	HPLC-UV DAD	*NLT 25 mg / softgel	27mg	PASS
Potency - D9-THC	HPLC-UV DAD	LOQ: <0.01% (broad spectrum)	ND	PASS
Expanded Pesticide Panel	HPLC-QQQ	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS
Microbial Escherichia coli (STEC)	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Absent	PASS
Microbial Salmonella	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Absent	PASS
Microbial Yeast and Mold	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	Below LOQ	PASS
Microbial Total Coliforms*	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	Below LOQ	PASS
Microbial Total Aerobic Count*	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^3 CFU/gram	Below LOQ	PASS
Heavy Metals Panel	ICP-MS	Arsenic (As): ≤1.5 ppm Cadmium (Cd): ≤0.5 ppm Lead (Pb): ≤0.5 ppm Mercury (Hg): ≤1.5 ppm	Below LOQ	PASS
Mycotoxins	ICP-MS	Total Aflatoxins <20 ppb† Afltoxin B1 < 5 ppb Ochratoxin < 5ppb	Below LOQ	PASS
Residual Solvents	GC-HS-MSD	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS

**Level of Quantitation, † Parts Per Million † Part Per Billion CFU/g=Colony Forming Units per Gram *Nothing Less Than 10^2=100 CFU 10^3=1,000 CFU

HEMP EXTRACT LOT:

Quality Certified

12/9/2024

Date



Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 12/06/2024

SAMPLE DETAILS

SAMPLE NAME: 25mg BS Everyday Softgels

Infused, Colorado Infused

SAMPLE DETAIL

 Batch Number: 241204A
 Date Collected: 11/27/2024

 Sample ID: 241127J007
 Date Received: 11/27/2024

Date of Sampling: 11/27/2024 Batch Size:

Time of Sampling: 8:54 a.m. Sample Size: 1.0 units

Sampler Name: Unit Mass: 0.5285 grams per Unit
Sampler Company: Serving Size: 0.5285 grams per Serving



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

Total CBD: 27.729 mg/unit Total CBD = Δ^{9} -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))

Total Cannabinoids: 29.334 mg/unit (CBDV+0.877*CBDVa) + Δ⁸-THC + CBL + CBN

SAFETY ANALYSIS - SUMMARY

Pesticides: ⊘PASS Mycotoxins: ⊘PASS Residual Solvents: ⊘PASS Heavy Metals: ⊘PASS

Microbiology (PCR):

✓ PASS Microbiology (Plating):
✓ PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: 6 CCR 1010-21 Colorado Wholesale Food, Industrial Hemp, and Shellfish Regulations; where applicable

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

 $\label{eq:References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count > 250 cfu/plate (TNTC), colony-forming unit (cfu)$

LQC verified by: Josh Antunovich Job Title: Laboratory Director Date: 12/06/2024

Approved by: Josh Wurzer

Job Title: Chief Compliance Officer

Date: 12/06/2024

Amendment to Certificate of Analysis 241127J007-002







Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 27.729 mg/unit

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 29.334 mg/unit

 $\begin{array}{l} Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + \\ (Total \ CBG) + (Total \ THCV) + (Total \ CBC) + \\ (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{array}$

TOTAL CBG: 0.449 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 0.051 mg/unit

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.468 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 11/27/2024

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±1.9570	52.467	5.2467
CBN	0.001 / 0.007	±0.0308	1.074	0.1074
CBDV	0.002 / 0.012	±0.0361	0.885	0.0885
CBG	0.002 / 0.006	±0.0412	0.849	0.0849
CBL	0.003 / 0.010	±0.0049	0.133	0.0133
СВС	0.003 / 0.010	±0.0031	0.096	0.0096
Δ ⁹ -THC	0.002 / 0.014	N/A	ND	ND
Δ^8 -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBDa	0.001 / 0.026	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNA	BINOIDS	-	55.504 mg/g	5.5504%

Unit Mass: 0.5285 grams per Unit / Serving Size: 0.5285 grams per Serving

Δ^9 -THC per Unit	ND		
Δ ⁹ -THC per Serving	ND		
Total THC per Unit	ND		
Total THC per Serving	ND		
CBD per Unit	27.729 mg/unit		
CBD per Serving	27.729 mg/serving		
Total CBD per Unit	27.729 mg/unit		
Total CBD per Serving	27.729 mg/serving		
Sum of Cannabinoids per Unit	29.334 mg/unit		
Sum of Cannabinoids per Serving	29.334 mg/serving		
Total Cannabinoids per Unit	29.334 mg/unit		
Total Cannabinoids per Serving	29.334 mg/serving		







Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS). ‡Analytes part of our California Select Panel.

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 12/05/2024 PASS

Abamectin 0.032/0.097 0.25 N/A ND PASS Acepuinocyl 0.006 / 0.018 0.05 N/A ND PASS Acetamiprid 0.009/0.027 ≥ LOQ N/A ND PASS Aldicarb 0.030 / 0.099 0.05 N/A ND PASS Allethrin 0.030 / 0.092 0.1 N/A ND PASS Atrazine 0.006 / 0.019 ≥ LOQ N/A ND PASS Azadirachtin 0.082 / 0.248 0.5 N/A ND PASS Azoxystrobin 0.003 / 0.009 0.01 N/A ND PASS Benzovindiffupyr 0.003 / 0.009 0.01 N/A ND PASS Bifenthrin 0.021 / 0.004 ≥ LOQ N/A ND PASS Bifenazate 0.003 / 0.009 0.01 N/A ND PASS Boscalid 0.003 / 0.009 0.01 N/A ND PASS Buprofezin† 0.006 / 0.019 ≥ LO	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Acequinocyl 0.009/0.027 ≥ LOQ N/A ND PASS Acetamiprid 0.016/0.049 0.05 N/A ND PASS Aldicarb 0.030/0.090 0.5 N/A ND PASS Allethrin 0.030/0.092 0.1 N/A ND PASS Atrazine 0.006/0.019 ≥ LOQ N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Benzovindiflupyr 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin¹ 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Carbaryl 0.007/0.015 1.5 N/A <td>Abamectin</td> <td>0.032 / 0.097</td> <td>0.25</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Abamectin	0.032 / 0.097	0.25	N/A	ND	PASS
Acetamiprid 0.016 / 0.049 0.05 N/A ND PASS Aldicarb 0.030 / 0.090 0.5 N/A ND PASS Allethrin 0.030 / 0.092 0.1 N/A ND PASS Atrazine 0.006 / 0.019 ≥ LOQ N/A ND PASS Azadirachtin 0.082 / 0.248 0.5 N/A ND PASS Azoxystrobin 0.003 / 0.009 0.01 N/A ND PASS Benzovindfflupyr 0.003 / 0.009 0.01 N/A ND PASS Bifenazate 0.003 / 0.009 0.01 N/A ND PASS Bifenazate 0.003 / 0.009 0.01 N/A ND PASS Bifenthrin 0.021 / 0.064 ≥ LOQ N/A ND PASS Bifenazate 0.003 / 0.009 0.01 N/A ND PASS Boscalid 0.003 / 0.019 0.01 N/A ND PASS Carbaryl 0.007 / 0.020 0.025<	Acephate	0.006 / 0.018	0.05	N/A	ND	PASS
Aldicarb 0.030/0.090 0.5 N/A ND PASS Allethrin 0.030/0.092 0.1 N/A ND PASS Atrazine 0.006/0.019 ≥ LOQ N/A ND PASS Azadirachtin 0.082/0.248 0.5 N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Bifenazate 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin† 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Carborura 0.003/0.008 0.01 N/A ND PASS Chloreprifes 0.005/0.015 1.5 N/A ND PASS Chloreprifes 0.013/0.039 0.5 N/A	Acequinocyl	0.009 / 0.027	≥LOQ	N/A	ND	PASS
Allethrin 0.030/0.092 0.1 N/A ND PASS Atrazine 0.006/0.019 ≥ LOQ N/A ND PASS Azadirachtin 0.082/0.248 0.5 N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Benzovindiflupyr 0.003/0.009 0.01 N/A ND PASS Bifenzate 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin† 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorentariliprole 0.006/0.018 ≥ LOQ N/A ND PASS Chlorentariliprole 0.003/0.009 0.01	Acetamiprid	0.016 / 0.049	0.05	N/A	ND	PASS
Atrazine 0.006/0.019 ≥ LOQ N/A ND PASS Azadirachtin 0.082/0.248 0.5 N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Benzovindiflupyr 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin¹ 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Chloraran 0.003/0.008 0.01 N/A ND PASS Chloreprifos 0.005/0.018 ≥ LOQ N/A ND PASS Chloreprifos 0.013/0.039 0.5 N/A ND PASS Chloreprifos 0.013/0.009 0.01 <	Aldicarb	0.030 / 0.090	0.5	N/A	ND	PASS
Azadirachtin 0.082/0.248 0.5 N/A ND PASS Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Benzovindiflupyr 0.003/0.009 0.01 N/A ND PASS Bifenazate 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin¹ 0.006/0.019 ≥ LOQ N/A ND PASS Carboryl 0.007/0.020 0.025 N/A ND PASS Chlorantraniliprole 0.004/0.018 ≥ LOQ N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS Chlorpyrifos 0.013/0.009 0.01 N/A ND PASS Chlorpyrifos 0.013/0.009 0.01 N/A ND PASS Cis-Permethrin 0.003/0.009 0.01	Allethrin	0.030 / 0.092	0.1	N/A	ND	PASS
Azoxystrobin 0.003/0.009 0.01 N/A ND PASS Benzovindifflupyr 0.003/0.009 0.01 N/A ND PASS Bifenazate 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin† 0.006/0.019 ≥LOQ N/A ND PASS Carbayl 0.007/0.020 0.025 N/A ND PASS Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006/0.018 ≥LOQ N/A ND PASS Chlorepyr* 0.005/0.015 1.5 N/A ND PASS Chlorepyremethrin 0.003/0.009 0.01 N/A ND PASS Clofentezine 0.003/0.009 0.01 N/A ND PASS Clofentezine 0.003/0.009 0.01 <td>Atrazine</td> <td>0.006 / 0.019</td> <td>≥LOQ</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Atrazine	0.006 / 0.019	≥LOQ	N/A	ND	PASS
Benzovindiflupyr 0.003 / 0.009 0.01 N/A ND PASS Bifenazate 0.003 / 0.009 0.01 N/A ND PASS Bifenthrin 0.021 / 0.064 ≥ LOQ N/A ND PASS Boscalid 0.003 / 0.009 0.01 N/A ND PASS Buprofezin¹ 0.006 / 0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007 / 0.020 0.025 N/A ND PASS Chloratraniliprole 0.006 / 0.018 ≥ LOQ N/A ND PASS Chlorepyr* 0.005 / 0.015 1.5 N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS Chlorepyrifos 0.013 / 0.039 0.5 N/A ND PASS Chlorepyrifos 0.013 / 0.099 0.01 N/A ND PASS Cis-Permethrin 0.003 / 0.099 0.01 N/A ND PASS Cicthianidin 0.008 / 0.0	Azadirachtin	0.082 / 0.248	0.5	N/A	ND	PASS
Bifenazate 0.003/0.009 0.01 N/A ND PASS Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin¹ 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006/0.018 ≥ LOQ N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS cis-Permethrin 0.003/0.009 0.01 N/A ND PASS Clothianidin 0.008/0.025 0.025 N/A ND PASS Coumaphos 0.003/0.010 0.01 N/A ND PASS Cyptrutinin 0.052/0.159 ≥ LOQ	Azoxystrobin	0.003 / 0.009	0.01	N/A	ND	PASS
Bifenthrin 0.021/0.064 ≥ LOQ N/A ND PASS Boscalid 0.003/0.009 0.01 N/A ND PASS Buprofezin¹ 0.006/0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007/0.020 0.025 N/A ND PASS Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006/0.018 ≥ LOQ N/A ND PASS Chlorfenapyr* 0.005/0.015 1.5 N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS Cis-Permethrin 0.003/0.009 0.01 N/A ND PASS Clothianidin 0.008/0.025 0.025 N/A ND PASS Coumaphos 0.003/0.010 0.01 N/A ND PASS Cyantraniliprole 0.003/0.010 0.01 N/A ND PASS Cygermethrin 0.052/0.159 ≥ LOQ	Benzovindiflupyr	0.003 / 0.009	0.01	N/A	ND	PASS
Boscalid 0.003 / 0.009 0.01 N/A ND PASS Buprofezin† 0.006 / 0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007 / 0.020 0.025 N/A ND PASS Carbofuran 0.003 / 0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006 / 0.018 ≥ LOQ N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS cis-Permethrin 0.000 0.01 N/A ND PASS Clofentezine 0.003 / 0.025 0.025 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cygrodinil* 0.003 / 0.05	Bifenazate	0.003 / 0.009	0.01	N/A	ND	PASS
Buprofezin† 0.006 / 0.019 ≥ LOQ N/A ND PASS Carbaryl 0.007 / 0.020 0.025 N/A ND PASS Carbofuran 0.003 / 0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006 / 0.018 ≥ LOQ N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS cis-Permethrin 0.00 0.01 N/A ND PASS Clofentezine 0.003 / 0.009 0.01 N/A ND PASS Clofentezine 0.003 / 0.025 0.025 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cygluthrin 0.052 / 0.159 <td>Bifenthrin</td> <td>0.021 / 0.064</td> <td>≥LOQ</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Bifenthrin	0.021 / 0.064	≥LOQ	N/A	ND	PASS
Carbaryl 0.007/0.020 0.025 N/A ND PASS Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006/0.018 ≥ LOQ N/A ND PASS Chlorpyrifos 0.005/0.015 1.5 N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS Cis-Permethrin 0.00 0.01 N/A ND PASS Ciclofinatidin 0.003/0.009 0.01 N/A ND PASS Clothianidin 0.008/0.025 0.025 N/A ND PASS Coumaphos 0.003/0.010 0.01 N/A ND PASS Cyantraniliprole 0.003/0.010 0.01 N/A ND PASS Cyfluthrin 0.052/0.159 ≥ LOQ N/A ND PASS Cyprodinil* 0.003/0.008 0.01 N/A ND PASS Cyprodinil* 0.003/0.008 0.01	Boscalid	0.003 / 0.009	0.01	N/A	ND	PASS
Carbofuran 0.003/0.008 0.01 N/A ND PASS Chlorantraniliprole 0.006/0.018 ≥ LOQ N/A ND PASS Chlorfenapyr* 0.005/0.015 1.5 N/A ND PASS Chlorpyrifos 0.013/0.039 0.5 N/A ND PASS Cis-Permethrin 0.00 0.01 N/A ND PASS Cis-Permethrin 0.003/0.009 0.01 N/A ND PASS Clothianidin 0.008/0.025 0.025 N/A ND PASS Coumaphos 0.003/0.010 0.01 N/A ND PASS Cyantraniliprole 0.003/0.010 0.01 N/A ND PASS Cyfluthrin 0.052/0.159 ≥ LOQ N/A ND PASS Cyprodinil* 0.051/0.153 ≥ LOQ N/A ND PASS Cyprodinil* 0.003/0.008 0.01 N/A ND PASS Datamethrin 0.059/0.180 ≥ LOQ	Buprofezin [‡]	0.006 / 0.019	≥LOQ	N/A	ND	PASS
Chlorantraniliprole 0.006 / 0.018 ≥ LOQ N/A ND PASS Chlorfenapyr* 0.005 / 0.015 1.5 N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS cis-Permethrin 0.00 0.01 N/A ND PASS Clofentezine 0.003 / 0.009 0.01 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cyfluthrin 0.052 / 0.159 ≥ LOQ N/A ND PASS Cypremethrin 0.051 / 0.153 ≥ LOQ N/A ND PASS Cyprodinil‡ 0.003 / 0.008 0.01 N/A ND PASS Cyprodinil‡ 0.003 / 0.007 ≥ LOQ N/A ND PASS Diazinon 0.026 / 0.077<	Carbaryl	0.007 / 0.020	0.025	N/A	ND	PASS
Chlorfenapyr* 0.005 / 0.015 1.5 N/A ND PASS Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS cis-Permethrin 0.00 0.00 0.00 0.00 0.00 Clofentezine 0.003 / 0.009 0.01 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cyfluthrin 0.052 / 0.159 ≥ LOQ N/A ND PASS Cypremethrin 0.051 / 0.153 ≥ LOQ N/A ND PASS Cyprodinil‡ 0.003 / 0.008 0.01 N/A ND PASS Cyprodinil‡ 0.003 / 0.007 ≥ LOQ N/A ND PASS Daminozide 0.026 / 0.077 ≥ LOQ N/A ND PASS Diazinon 0.006 / 0.017	Carbofuran	0.003 / 0.008	0.01	N/A	ND	PASS
Chlorpyrifos 0.013 / 0.039 0.5 N/A ND PASS cis-Permethrin 0.00 0.01 N/A ND PASS Clofentezine 0.003 / 0.009 0.01 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cyfluthrin 0.052 / 0.159 ≥ LOQ N/A ND PASS Cypermethrin 0.051 / 0.153 ≥ LOQ N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 0.01 N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 0.01 N/A ND PASS Daminozide 0.026 / 0.077 ≥ LOQ N/A ND PASS Diazinon 0.006 / 0.017 ≥ LOQ N/A ND PASS Direthoryos (DDVP) 0.012 / 0.038	Chlorantraniliprole	0.006 / 0.018	≥LOQ	N/A	ND	PASS
cis-Permethrin 0.00 Clofentezine 0.003 / 0.009 0.01 N/A ND PASS Clothianidin 0.008 / 0.025 0.025 N/A ND PASS Coumaphos 0.003 / 0.010 0.01 N/A ND PASS Cyantraniliprole 0.003 / 0.010 0.01 N/A ND PASS Cyfluthrin 0.052 / 0.159 ≥ LOQ N/A ND PASS Cypermethrin 0.051 / 0.153 ≥ LOQ N/A ND PASS Cyprodinil [‡] 0.003 / 0.008 0.01 N/A ND PASS Deltamethrin 0.026 / 0.077 ≥ LOQ N/A ND PASS Diazinon 0.006 / 0.017 ≥ LOQ N/A ND PASS Diazinon 0.006 / 0.017 ≥ LOQ N/A ND PASS Dimethoate 0.003 / 0.009 0.01 N/A ND PASS Dimethomorph 0.016 / 0.050 ≥ LOQ N/A ND PASS	Chlorfenapyr*	0.005 / 0.015	1.5	N/A	ND	PASS
Clofentezine $0.003/0.009$ 0.01 N/A ND PASS Clothianidin $0.008/0.025$ 0.025 N/A ND PASS Coumaphos $0.003/0.010$ 0.01 N/A ND PASS Cyantraniliprole $0.003/0.010$ 0.01 N/A ND PASS Cyfluthrin $0.052/0.159$ $\geq LOQ$ N/A ND PASS Cypermethrin $0.051/0.153$ $\geq LOQ$ N/A ND PASS Cyperdinil† $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ $\geq LOQ$ N/A ND PASS Diazinon $0.006/0.017$ $\geq LOQ$ N/A ND PASS Diazinon $0.006/0.017$ $\geq LOQ$ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS	Chlorpyrifos	0.013 / 0.039	0.5	N/A	ND	PASS
Clothianidin $0.008/0.025$ 0.025 N/A ND PASS Coumaphos $0.003/0.010$ 0.01 N/A ND PASS Cyantraniliprole $0.003/0.010$ 0.01 N/A ND PASS Cyfluthrin $0.052/0.159$ ≥ LOQ N/A ND PASS Cypermethrin $0.051/0.153$ ≥ LOQ N/A ND PASS Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ ≥ LOQ N/A ND PASS Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS	cis-Permethrin				0.00	
Coumaphos $0.003/0.010$ 0.01 N/A ND PASS Cyantraniliprole $0.003/0.010$ 0.01 N/A ND PASS Cyfluthrin $0.052/0.159$ ≥ LOQ N/A ND PASS Cypermethrin $0.051/0.153$ ≥ LOQ N/A ND PASS Cyprodinil† $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ ≥ LOQ N/A ND PASS Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.030$ ≥ LOQ N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.016/$	Clofentezine	0.003 / 0.009	0.01	N/A	ND	PASS
Cyantraniliprole $0.003/0.010$ 0.01 N/A ND PASS Cyfluthrin $0.052/0.159$ ≥ LOQ N/A ND PASS Cypermethrin $0.051/0.153$ ≥ LOQ N/A ND PASS Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ ≥ LOQ N/A ND PASS Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.030$ ≥ LOQ N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan $0.006/0.$	Clothianidin	0.008 / 0.025	0.025	N/A	ND	PASS
Cyfluthrin $0.052/0.159$ ≥ LOQ N/A ND PASS Cypermethrin $0.051/0.153$ ≥ LOQ N/A ND PASS Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ ≥ LOQ N/A ND PASS Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ ≥ LOQ N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan-β* $0.$	Coumaphos	0.003 / 0.010	0.01	N/A	ND	PASS
Cypermethrin $0.051/0.153$ $\geq LOQ$ N/A ND PASS Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ $\geq LOQ$ N/A ND PASS Deltamethrin $0.059/0.180$ $\geq LOQ$ N/A ND PASS Diazinon $0.006/0.017$ $\geq LOQ$ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ $\geq LOQ$ N/A ND PASS Diuron $0.013/0.040$ $\geq LOQ$ N/A ND PASS Dodemorph $0.012/0.035$ $\geq LOQ$ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan- $β$ * $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos	Cyantraniliprole	0.003 / 0.010	0.01	N/A	ND	PASS
Cyprodinil‡ $0.003/0.008$ 0.01 N/A ND PASS Daminozide $0.026/0.077$ $\ge LOQ$ N/A ND PASS Deltamethrin $0.059/0.180$ $\ge LOQ$ N/A ND PASS Diazinon $0.006/0.017$ $\ge LOQ$ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ $\ge LOQ$ N/A ND PASS Diuron $0.013/0.040$ $\ge LOQ$ N/A ND PASS Dodemorph $0.012/0.035$ $\ge LOQ$ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan- α^* $0.004/0.014$ 2.5 N/A ND PASS Endosulfan- β^* $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos </th <td>Cyfluthrin</td> <td>0.052/0.159</td> <td>≥LOQ</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Cyfluthrin	0.052/0.159	≥LOQ	N/A	ND	PASS
Daminozide $0.026/0.077$ ≥ LOQ N/A ND PASS Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ ≥ LOQ N/A ND PASS Dinotefuran $0.010/0.030$ 0.05 N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan- $α$ * $0.004/0.014$ 2.5 N/A ND PASS Endosulfan- $β$ * $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos <	Cypermethrin	0.051 / 0.153	≥LOQ	N/A	ND	PASS
Deltamethrin $0.059/0.180$ ≥ LOQ N/A ND PASS Diazinon $0.006/0.017$ ≥ LOQ N/A ND PASS Dichlorvos (DDVP) $0.012/0.038$ 0.05 N/A ND PASS Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ ≥ LOQ N/A ND PASS Dinotefuran $0.010/0.030$ 0.05 N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan- α * $0.004/0.014$ 2.5 N/A ND PASS Endosulfan- β * $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos $0.003/0.009$ 0.01 N/A ND PASS	Cyprodinil [‡]	0.003 / 0.008	0.01	N/A	ND	PASS
Diazinon 0.006/0.017 ≥ LOQ N/A ND PASS Dichlorvos (DDVP) 0.012/0.038 0.05 N/A ND PASS Dimethoate 0.003/0.009 0.01 N/A ND PASS Dimethomorph 0.016/0.050 ≥ LOQ N/A ND PASS Dinotefuran 0.010/0.030 0.05 N/A ND PASS Diuron 0.013/0.040 ≥ LOQ N/A ND PASS Dodemorph 0.012/0.035 ≥ LOQ N/A ND PASS Endosulfan sulfate 0.016/0.048 2.5 N/A ND PASS Endosulfan- α * 0.004/0.014 2.5 N/A ND PASS Endosulfan- β * 0.006/0.019 2.5 N/A ND PASS Ethoprophos 0.003/0.009 0.01 N/A ND PASS	Daminozide	0.026 / 0.077	≥LOQ	N/A	ND	PASS
Dichlorvos (DDVP) 0.012 / 0.038 0.05 N/A ND PASS Dimethoate 0.003 / 0.009 0.01 N/A ND PASS Dimethomorph 0.016 / 0.050 ≥ LOQ N/A ND PASS Dinotefuran 0.010 / 0.030 0.05 N/A ND PASS Diuron 0.013 / 0.040 ≥ LOQ N/A ND PASS Dodemorph 0.012 / 0.035 ≥ LOQ N/A ND PASS Endosulfan sulfate 0.016 / 0.048 2.5 N/A ND PASS Endosulfan- α * 0.004 / 0.014 2.5 N/A ND PASS Endosulfan-β* 0.006 / 0.019 2.5 N/A ND PASS Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Deltamethrin	0.059 / 0.180	≥LOQ	N/A	ND	PASS
Dimethoate $0.003/0.009$ 0.01 N/A ND PASS Dimethomorph $0.016/0.050$ ≥ LOQ N/A ND PASS Dinotefuran $0.010/0.030$ 0.05 N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan-α* $0.004/0.014$ 2.5 N/A ND PASS Endosulfan-β* $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos $0.003/0.009$ 0.01 N/A ND PASS	Diazinon	0.006 / 0.017	≥LOQ	N/A	ND	PASS
Dimethomorph $0.016/0.050$ ≥ LOQ N/A ND PASS Dinotefuran $0.010/0.030$ 0.05 N/A ND PASS Diuron $0.013/0.040$ ≥ LOQ N/A ND PASS Dodemorph $0.012/0.035$ ≥ LOQ N/A ND PASS Endosulfan sulfate $0.016/0.048$ 2.5 N/A ND PASS Endosulfan- $α$ * $0.004/0.014$ 2.5 N/A ND PASS Endosulfan- $β$ * $0.006/0.019$ 2.5 N/A ND PASS Ethoprophos $0.003/0.009$ 0.01 N/A ND PASS	Dichlorvos (DDVP)	0.012 / 0.038	0.05	N/A	ND	PASS
Dinotefuran 0.010 / 0.030 0.05 N/A ND PASS Diuron 0.013 / 0.040 ≥ LOQ N/A ND PASS Dodemorph 0.012 / 0.035 ≥ LOQ N/A ND PASS Endosulfan sulfate 0.016 / 0.048 2.5 N/A ND PASS Endosulfan-α* 0.004 / 0.014 2.5 N/A ND PASS Endosulfan-β* 0.006 / 0.019 2.5 N/A ND PASS Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Dimethoate	0.003 / 0.009	0.01	N/A	ND	PASS
Diuron 0.013 / 0.040 ≥ LOQ N/A ND PASS Dodemorph 0.012 / 0.035 ≥ LOQ N/A ND PASS Endosulfan sulfate 0.016 / 0.048 2.5 N/A ND PASS Endosulfan-α* 0.004 / 0.014 2.5 N/A ND PASS Endosulfan-β* 0.006 / 0.019 2.5 N/A ND PASS Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Dimethomorph	0.016 / 0.050	≥LOQ	N/A	ND	PASS
Dodemorph 0.012/0.035 ≥ LOQ N/A ND PASS Endosulfan sulfate 0.016/0.048 2.5 N/A ND PASS Endosulfan-α* 0.004/0.014 2.5 N/A ND PASS Endosulfan-β* 0.006/0.019 2.5 N/A ND PASS Ethoprophos 0.003/0.009 0.01 N/A ND PASS	Dinotefuran	0.010 / 0.030	0.05	N/A	ND	PASS
Endosulfan sulfate 0.016 / 0.048 2.5 N/A ND PASS Endosulfan-α* 0.004 / 0.014 2.5 N/A ND PASS Endosulfan-β* 0.006 / 0.019 2.5 N/A ND PASS Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Diuron	0.013 / 0.040	≥LOQ	N/A	ND	PASS
Endosulfan- $α$ * 0.004 / 0.014 2.5 N/A ND PASS Endosulfan- $β$ * 0.006 / 0.019 2.5 N/A ND PASS Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Dodemorph	0.012/0.035	≥LOQ	N/A	ND	PASS
Endosulfan-β* 0.006/0.019 2.5 N/A ND PASS Ethoprophos 0.003/0.009 0.01 N/A ND PASS	Endosulfan sulfate	0.016/0.048	2.5	N/A	ND	PASS
Ethoprophos 0.003 / 0.009 0.01 N/A ND PASS	Endosulfan- α^*	0.004/0.014	2.5	N/A	ND	PASS
	Endosulfan-β*	0.006 / 0.019	2.5	N/A	ND	PASS
Etofenprox 0.014 / 0.042 ≥ LOQ N/A ND PASS	Ethoprophos	0.003 / 0.009	0.01	N/A	ND	PASS
	Etofenprox	0.014/0.042	≥LOQ	N/A	ND	PASS

Continued on next page









Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 12/05/2024 continued **⊘** PASS

	ND PASS
Etridiazole* 0.002 / 0.005 0.15 N/A	ND PASS
Fenhexamid 0.003 / 0.008 ≥ LOQ N/A	ND PASS
Fenoxycarb 0.003 / 0.010 0.01 N/A	ND PASS
Fenpyroximate 0.007 / 0.020 ≥ LOQ N/A I	ND PASS
Fensulfothion 0.003 / 0.010 0.01 N/A	ND PASS
Fenthion 0.003 / 0.010 0.01 N/A	ND PASS
Fenvalerate [‡] 0.033 / 0.099 ≥ LOQ N/A	ND PASS
Fipronil 0.003 / 0.010 0.01 N/A	ND PASS
Flonicamid 0.007 / 0.022 0.025 N/A	ND PASS
Fludioxonil 0.003 / 0.010 0.01 N/A	ND PASS
Fluopyram [‡] 0.003 / 0.009 0.01 N/A	ND PASS
Hexythiazox 0.003 / 0.010 ≥ LOQ N/A	ND PASS
Imazalil	ND PASS
Imidacloprid 0.003 / 0.010 0.01 N/A I	ND PASS
Iprodione 0.077 / 0.233 0.5 N/A	ND PASS
Kinoprene 0.077 / 0.233 1.25 N/A I	ND PASS
Kresoxim-methyl 0.006 / 0.019 0.15 N/A I	ND PASS
$λ$ -Cyhalothrin 0.068/0.206 \ge LOQ N/A	ND PASS
Malathion 0.003 / 0.009 0.01 N/A	ND PASS
Metalaxyl 0.003 / 0.010 0.01 N/A	ND PASS
Methiocarb 0.003 / 0.008 0.01 N/A	ND PASS
Methomyl 0.008 / 0.025 0.025 N/A I	ND PASS
Methoprene [‡] 0.172 / 0.521 ≥ LOQ N/A	ND PASS
Mevinphos 0.008 / 0.024 0.025 N/A I	ND PASS
MGK-264 0.015 / 0.047 ≥ LOQ N/A	ND PASS
Myclobutanil 0.003 / 0.009 0.01 N/A	ND PASS
Naled 0.021 / 0.064 ≥ LOQ N/A	ND PASS
Novaluron 0.002 / 0.005 0.025 N/A	ND PASS
Oxamyl 0.017 / 0.051 1.5 N/A	ND PASS
Paclobutrazol 0.003 / 0.010 0.01 N/A I	ND PASS
Parathion-methyl 0.016 / 0.050 ≥ LOQ N/A I	ND PASS
Pentachloronitro- benzene (Quintozene)* 0.004 / 0.012 ≥ LOQ N/A	ND PASS
Permethrin 0.056 / 0.168 ≥ LOQ N/A	ND PASS
Phenothrin 0.016 / 0.047 ≥ LOQ N/A	ND PASS
Phosmet 0.007 / 0.020 ≥ LOQ N/A	ND PASS
Piperonyl Butoxide 0.010 / 0.029 1.25 N/A	ND PASS
Pirimicarb 0.003 / 0.009 0.01 N/A I	ND PASS
Prallethrin 0.015 / 0.046 ≥ LOQ N/A	ND PASS
Propiconazole 0.027 / 0.080 ≥ LOQ N/A	ND PASS
Propoxur 0.003 / 0.008 0.01 N/A	ND PASS

Continued on next page







Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 12/05/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Pyraclostrobin	0.003/0.010	0.01	N/A	ND	PASS
Pyrethrins	0.016/0.049	≥LOQ	N/A	ND	PASS
Pyridaben	0.005 / 0.017	0.02	N/A	ND	PASS
Pyriproxyfen	0.003 / 0.009	≥LOQ	N/A	ND	PASS
Resmethrin	0.013/0.039	0.05	N/A	ND	PASS
Spinetoram	0.003/0.010	0.01	N/A	ND	PASS
Spinosad	0.003/0.010	0.01	N/A	ND	PASS
Spirodiclofen	0.031/0.093	≥LOQ	N/A	ND	PASS
Spiromesifen	0.016 / 0.050	≥LOQ	N/A	ND	PASS
Spirotetramat	0.003/0.010	0.01	N/A	ND	PASS
Spiroxamine	0.020 / 0.062	≥LOQ	N/A	ND	PASS
Tebuconazole	0.003/0.010	0.01	N/A	ND	PASS
Tebufenozide	0.003 / 0.008	0.01	N/A	ND	PASS
Teflubenzuron	0.007/0.022	0.025	N/A	ND	PASS
Tetrachlorvinphos	0.003 / 0.008	0.01	N/A	ND	PASS
Tetramethrin	0.021 / 0.063	≥LOQ	N/A	ND	PASS
Thiabendazole	0.006 / 0.020	≥LOQ	N/A	ND	PASS
Thiacloprid	0.003 / 0.009	0.01	N/A	ND	PASS
Thiamethoxam	0.003/0.010	0.01	N/A	ND	PASS
Thiophanate-methyl	0.013/0.040	≥LOQ	N/A	ND	PASS
trans-Permethrin				0.00	
Trifloxystrobin	0.003 / 0.009	0.01	N/A	ND	PASS



Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

MYCOTOXIN TEST RESULTS - 12/05/2024 **⊘** PASS

COMPOUND	LOD/ <mark>LOQ</mark> (µg/kg)	ACTION LIMIT (μg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	1.6 / 5.0	5	N/A	ND	PASS
Aflatoxin B2	1.4 / 4.1		N/A	ND	
Aflatoxin G1	1.6 / 4.9		N/A	ND	
Aflatoxin G2	1.6 / 5.0		N/A	ND	
Ochratoxin A	1.6 / 5.0	5	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS







Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Heptanes = n.Butane + 2-Methylpropane (Isobutane)
Total Heptanes = 2,2-Dimethylpentane (Neoheptane) +
2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane + 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) +
3-Methylhexane + 3-Ethylpentane + n-Heptane
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) +
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

RESIDUAL SOLVENTS TEST RESULTS - 12/04/2024 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propane	0.234 / 0.781	1000	N/A	ND	PASS
2-Methylpropane (Isobutane)	0.052 / 0.173		N/A	ND	
n-Butane	0.019/0.063		N/A	ND	
Total Butanes		1000		ND	PASS
n-Pentane	0.310 / 1.033	1000	N/A	ND	PASS
n-Hexane	0.110 / 0.366	60	N/A	ND	PASS
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642		N/A	ND	
2,3-Dimethylpentane	1.009 / 3.365		N/A	ND	
2,4-Dimethylpentane	0.737 / 2.458		N/A	ND	
3,3-Dimethylpentane	0.198 / 0.660		N/A	ND	
2,2,3-Trimethylbutane (Triptane)	0.521 / 1.738		N/A	ND	
2-Methylhexane (Isoheptane)	0.610/2.034		N/A	ND	
3-Methylhexane	0.235 / 0.785		N/A	ND	
3-Ethylpentane	0.304 / 1.012		N/A	ND	
n-Heptane	13.12 / 43.72		N/A	ND	
Total Heptanes		1000		ND	PASS
Benzene	0.089 / 0.295	2	N/A	ND	PASS
Toluene	0.115 / 0.382	180	N/A	ND	PASS
1,3-Dimethylbenzene / 1,4-Dimethylbenzene	0.451 / 1.502		N/A	ND	
1,2-Dimethylbenzene (o-Xylene)	0.387 / 1.289		N/A	ND	
Total Xylenes		430		ND	PASS
Methanol	53.92 / 163.4	600	N/A	ND	PASS
Ethanol	8.984/27.23	1000	N/A	ND	PASS
2-Propanol (Isopropyl Alcohol)	8.421 / 25.52	1000	N/A	ND	PASS
Acetone	10.59/32.08	1000	N/A	ND	PASS
Ethyl Acetate	1.123 / 3.745	1000	N/A	ND	PASS



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 12/04/2024 OPASS

COMPOUND	LO <mark>D/LOQ</mark> (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	1.5	N/A	ND	PASS









Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by $3M^{\rm TM}$ Petrifilm $^{\rm TM}$ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with $3M^{TM}$ PetrifilmTM

MICROBIOLOGY TEST RESULTS (PCR) - 12/06/2024 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Salmonella spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing Escherichia coli	Not Detected in 1g	ND	PASS

MICROBIOLOGY TEST RESULTS (PLATING) - 12/06/2024 PASS

COMPOUND	ACTION LIMIT (cfu/g)	RESULT (cfu/g)	RESULT
Coliforms	100	ND	PASS
Total Aerobic Bacteria	10000	ND	PASS
Total Yeast and Mold	1000	ND	PASS

NOTES

Reason for Amendment: Add/Remove Test(s)